


Competent Solutions Since 1993



Moving Ahead with New Technologies



PRODUCT OVERVIEW



www.neotechworld.com

INDEX

PRODUCT	PAGE NO.	PRODUCT	PAGE NO.
HYDRAULIC TOOLS		FLUID HANDLING & LUBRICATION	
• Hydraulic Cylinders / Jacks	03	• Grease Handling	14
• Hydraulic Pumps	05	• Oil Handling, Fuel Handling	15
• Hydraulic Pullers	07	LED WORK LIGHTS & TOOLS	
• Hydraulic Presses & Bolting Tools	08	• LED Worklights, Tools Storage & Assortements	16
MECHANICAL TOOLS, POWER TOOLS & STORAGES		• Industrial Hammers, Vices & Clamps	17
• Drive Tools: Ratchets & Wrenches	09	ACCUMULATORS & OIL COOLERS	
• Screw Drivers & Pliers	10	• Bladder, Diaphragm Accumulators	18
• Hammers, Punches & Torque Tools	11	• Accumulator Accessories	19
• General Hand Tools & Power Tools	12	• Oil Coolers & Heat Exchangers	19
• Testing Tools, Tool Storage & Tools at Height	13		

COMPANY PROFILE

NEOTECH EQUIPMENTS was founded in 1993 with a clear and ambitious vision — to eliminate the divide between users and manufacturers of premium industrial tools and equipment. Today, three decades later, we stand as one of India's most reliable trade and service partners, trusted by companies across industries nationwide.

Our guiding motto, "*Moving Ahead with New Technologies*", is not merely a statement — it is the philosophy that has shaped every decision we have made. We continuously refine and expand our product portfolio to reflect the latest market developments, ensuring our clients always have access to the best of Everything From One Source.

We back our commitment to excellence with sustained investment in workforce training, expert collaboration, and development of cutting-edge, solution-driven products and services — because your success is the true measure of ours.

OUR TECHNOLOGY PARTNERS



YOUR ADVANTAGES

- **Free On-Site Consultation:** Our technical representatives visit your site regularly to help you select the right products— at no cost to you.
- **Rich Technical Repository:** Access downloadable catalogues, 2D & 3D drawings, and product application case studies, anytime you need them.
- **Reliable Inventory & Timely Delivery:** Our solid inventory and structured delivery schedules give you the planning security your operations demand.
- **Everything From One Source:** A comprehensive range of standard and non-standard products — all available under one roof.
- **Cost Efficiency & Quality Assured:** As a trusted top-tier supplier, we deliver the best of both worlds — competitive pricing and uncompromising quality.
- **Minimise Downtime:** Our dedicated in-house service team is always within reach, ensuring swift support and uninterrupted operations.

HIGH PRESSURE HYDRAULIC TOOLS

Hydraulic Technologies Power Team is an USA based manufacturer with over 100 years of experience in supplying professional grade high-pressure Hydraulic Pumps, Cylinders, Pullers, Bolting Tools and other Specialised Hydraulic equipments in more than 140 countries. Combining our tough products with application expertise and training makes your life safer, easier and more efficient.

HYDRAULIC CYLINDERS - Single-Acting, Spring-Return

(Designed for use in all positions)



(Push) C106C

"C" Series General Purpose

- 5 to 100 ton Capacities
- Threaded Collars
- Internal Piston Threads
- Base Mounting Holes (Optional for 75 to 100 ton Capacities)
- For Lifting & Pressing
- Optional Accessories & Adapters



(Push) RLS100

"RLS" Series Low Profile

- 5 to 150 ton Capacities
- Compact & Low Height
- For Confined Areas from 1-5/8" to 4" Clearance
- Domed Piston Rod or Swivel Cap minimize effects of off-center Loading
- Mounting Holes



(Push) C55CBT

"CBT" Series Threaded End

- 5 to 25 ton Capacities
- Threaded Collars
- Treaded Piston Rod Ends
- Internal Base Threads
- Optional Accessories & Adapters



(Push) RA556L

"RL" Series Locking Collar-Aluminum

- 55 to 100 ton Capacities
- Light Weight
- Positive Mechanical Lock to support Load
- For Lifting & Mechanical Load Holding



(Push or Pull) RH503

"RH" Series Center Hole

- 10 to 200 ton Capacities
- Hollow Piston Design
- Interchangeable Piston Head Inserts
- Threaded Collars on Most Models
- For Pulling, Testing, Maintenance & Tensioning Applications
- Optional Accessories & Adapters



(Push or Pull) RT302

"RT" Series Center Hole

- 17-1/2 to 100 ton Capacities
- Hollow Piston, Twin Cylinder Design
- Compact Design
- Interchangeable Piston Head Inserts
- Base Mounting Holes
- For Pulling & Pressing
- Optional Accessories & Adapters



(Push) RA552

"RA" Series Aluminum

- 20 to 1200 ton Capacities
- Light Weight
- Resists Wear & Corrosion
- Resists Sparking in Explosive Environments
- Optional Swivel Cap available to reduce the effects of off-center Loading
- For Jacking & other Non-production Operations



(Push) RSS302

"RSS" Series Shorty

- 10 to 250 ton Capacities
- Low Closed Height
- For Confined Areas from 1-3/2" to 11-7/6" Clearance
- 100 ton Capacities available in Double-acting
- Optional Swivel Cap available

HIGH PRESSURE HYDRAULIC TOOLS

HYDRAULIC CYLINDERS - Double-Acting, Hydraulic-Return

(Designed for use in all positions)

Built-in Safety Relief Valve prevents Over-pressurization of Retract Circuit



(Push & Pull) RD556

"RD" Series General Purpose

- 10 to 600 ton Capacities
- Premium Design for High Cycle Life
- Threaded Collars
- Internal Piston Treads
- Base Mounting Holes
- For Lifting & Pressing



(Push) R2806D

"RXXXXD" Series High Tonnage

- 100 to 1220 ton Capacities
- High Tonnage Design
- Standard Swivel Caps to reduce the effects of off-center Load
- For Lifting



(Push) PLC2202

"PLC" Series Pancake Locking Collar

- 67 to 565 ton Capacities
- Up to 2" Stroke
- Standard Swivel Caps to reduce the effects of Off-center Load
- For Lifting & Mechanical Load Holding



(Push) R556L

"RXXXXL" Series Locking Collar -Steel

- 55 to 1220 ton Capacities
- Positive Mechanical Lock to support Load
- For Lifting & Mechanical Load Holding

HYDRAULIC VALVES & ACCESSORIES



Manifold Valves / Blocks



Manual Directional Valves



Solenoid Directional Valves



Load Lowering Valves



Manual Shut-off Valves

Gauges

- 2-1/2", 4" & Dial Analog Gauges
- Dry or Silicone Filled
- ASME B40-1, Grade B Standard
- Feature an easily Readable & Highly Visible Red Day-glow Needle
- High Cycle Life
- Stainless Steel case
- Maximum Peak Indicator Lens (Optional)
- 1/4" NPT



Hoses

- Polyurethane for Long Service Life or Rubber Wire-braided Hoses for Oil & Weather Resistance
- Non-conductive Hoses available for Electrical isolation
- 2 ft. to 100 ft. Length
- 1/4" or 3/8" I.D.
- 3/8" NPT
- 10, 000 psi Comply with MHI Standard IJ100



Couplers

- Complete Quick Couplers • 3/8" NPT

9795 - Cylinder & Hose Couplers



9794 No-Spill Push-to-Connect Hose Couplers



HIGH PRESSURE HYDRAULIC TOOLS

HYDRAULIC HAND PUMPS - Single-Acting, Double-Acting

Operating Pressure up to 10,000 psi (700bar)

Single-Speed



P55

(For use with Single-acting Cylinders)

- P12 & P55 Series
- P23 Series (Up to 3,000 psi)
- Oil capacities from 12 in³ to 55 in³

2 Speed



P157 / P159

(For use with Single-acting Cylinders)

- P19, P59, P157, P159, P300 & P460 Series
- P59F Series (Foot-operated)
- Oil capacities from 24 in³ to 2-1/2 gallons




P59F

P460

(For use with Double-acting Cylinders)

- P157D, P159D, P300D & P460D Series
- Oil capacities from 152 in³ to 2-1/2 gallons

- All metal construction, won't burn through in welding environments
- Filling of oil reservoir in horizontal or vertical position
- Relief valve inboard of check valve prevents loads from drifting down
- Large valve knob gives added control for slowly metering loads down
- Formed metal handle provides less flex & less operator fatigue than round or composite handles



POWER TEAM hand pumps, with the angled fill port, have a built in "relief valve" protection system. This system is designed to protect over-pressurization of the reservoir from sudden back pressure. This system also works as a seal to prevent oil leaks

AIR HYDRAULIC PUMPS

Use where air is preferred energy source or where electricity is not available



PA9H

PA6

PA9

PA6D

Single Speed

(Reciprocating Air Motor)

- PA6 & PA9 Series (For Single-acting)
- PA6D Series (For Double-acting)
- Compact, Lightweight & Portable
- Easier to Operate than a Hand Pump
- Hand or Foot Control
- Oil Capacities from 105 in³ to 2-1/2 gallons



PA172



PA464R

2 Speed

(Rotary Air Motor)

- High Speed Cylinder or Tool Advance
- PA60 Series Equipped with a Manifold to Operate Multiple Cylinder
- PA64 Series Equipped with manual directional valve
- PA17 Series (Rotary-Style Air Motor)
- PA46 Series (Rotary Style-3hp Air Motor)
- PA554 Series (High Performance)
- Oil Capacities from 2 gallons to 2-1/2 gallons

- Ideal for use in Petrochemical, Mines or other Inflammable / Explosive Environments
- Internal Relief Valve Protects Circuit Components & Air In-let Filter Protects Motor
- For use with Single-acting or Double-acting Cylinders & Portable Hydraulic Tools

- Operates on 40 to 120 psi Air Supply (Depending on models)
- Thermoplastic or Metal Reservoir
- Operating Pressure up-to 10,000 psi (700 bar)

HIGH PRESSURE HYDRAULIC TOOLS

ELECTRIC / BATTERY HYDRAULIC PUMPS

Operating pressure up to 10,000 psi (700 bar)



PB104



PB43

- Upto 200 ton, 2-Speed & 2.1/4 HP Electric Motor
- High performance, Compact & Portable Power Source
- High-impact Housing with Flame-retardant Construction
- PB102, PB104 & PB43 Series (Battery-Powered) with Optional Rechargeable Battery pack
- For use with Single-Acting or Double-Acting cylinders & portable Hydraulic Tools
- Oil Capacities upto 1.5 Gallon / 5.7 ltr.

ELECTRIC HYDRAULIC PUMPS

Operating pressure upto 10,000 psi (700 bar)

Stationary Application (Heavy Duty) 2-Speed

- PE21 Series (1 hp Induction Motor) for Low Speed & High torque for Heavy duty, Extended cycle Operations
- PQ60 Series (2 hp Induction Motor) for Heavy duty, Extended cycle Operations
- PQ120 Series (3 hp Phase Motor) for Low Speed & High torque for Heavy duty, Extended cycle Operations
- PQ400 Series (10 hp 3-phase Motor) for High Tonnage Single or Multiple Cylinder Applications
- PED25 Series (1-1/2 hp Induction Motor) "Dual Flow" Pumps For Running Multiple Tools or Cylinders from Power Unit



PQ604S/PQ1204S

Portable Application (Standard) 2-Speed

- PE17 Series (1/2 hp Induction Motor) for Maintenance & Construction Applications
- PE46 Series (1/2 hp Induction Motor) for Maintenance & Production Applications



PE174

Portable Application (Heavy- Duty) 2- Speed

- PE18 Series (1/2 hp Universal Motor) for use with Small Hydraulically Powered Tools
- PE30 Series (1/2 hp Universal Motor) Maintenance & construction Applications
- PE55 Series (1-1/8 hp Universal Motor) Heavy- Duty Multiple-Applications Pump
- PE60 Series (1-1/8 hp Universal Motor) Compact & Light Weight Pump for Operating Single or Double-acting Cylinders or Stressing jacks



PE554

- All POWER TEAM Electric Hydraulic Pump are 2-Speed Models, giving Fast Cylinder Piston Approach
- Electric Motors Range from 1/2 hp to 10 hp
- Internal Relief Valve Protects Circuit Components
- Thermoplastic or Metal Reservoir For use with single-acting or Double-acting Cylinders & Portable Hydraulic Tools
- H.P. Flow Rate form 17 in3 min to 420
- POWER TEAM Offers "Assemble To Order" Pumps to fit Specific Applications

HIGH PRESSURE HYDRAULIC TOOLS

HYDRAULIC TOOLS & EQUIPMENT

Operating Pressure up to 10,000 psi (700bar)

Floor Cranes



- 1 & 2 ton Capacities
- Foldaway Feature for Compact Storage
- Ease of Mobility

Hydraulic Jacks



- 2 to 100 ton Capacities
- Bottle Jacks, Low Profile Jacks, Telescoping Jacks & Sidewinder Jacks
- Toe Jacks (2 to 27 ton Capacities)

Portable High Tonnage Hydraulic Jacks

- 100 ton Capacities, 16" to 27" Stroke Includes: Cribbing Blocks, Spacers, Extensions & Swivel Caps
- Extended Height up to 64"
- Electric or Air Hydraulic Powered Remote Control
- Ideal for Loco, Railcar & Mining Equip. Maintenance



Hydraulic Spreaders



HS2000

- 1 & 1-1/2 ton Capacities



HS3000

- Works like a Hydraulic Pry Bar

Nut Splitters



HNS150

- 15 & 25 ton Capacities



HNS225

- Hex Sizes From 1/2" to 2-1/4"

Pipe Flange Spreaders



HFS3A

- 5 & 10 ton Capacities

Hydraulic Punches



HP35

- 35 ton Capacities
- Punches & Dies
- Portable
- Punch Holes up to 1/2" Thick Mild Steel

Post Tension & Stressing Jack



SJ2010 / SJ3010

- Upto 500 ton Capacities
- Mono & Multi strand Stressing/Tensioning Jacks
- Single or Double-acting

PULLERS - Hydraulic & Mechanical

Hydraulic Universal Pullers



PH553C

- ENFORCER 55 & 100 ton Capacities
- Grip-O-Matic Feature
- Hydraulic Lift for Easy, Precise Positioning of Puller
- Ease of Mobility




PTPH-200T

Posi-Lock Pullers

- 2/3 Jaws, Mechanical & Hydraulic
- 1 to 200 ton Capacities
- Safety Cage Guides Jaw, Fast Setup
- Solid Contact, Superior Safety Attachments



Hydraulic Pullers



IPS30H

PH103C

PH63C

- 2/3 Jaws
- 5 to 200 ton Capacities
- Available as Master Puller Sets
- Available Self-contained Pulling System
- Pulling, Bearing, Pulley Attachments

Universal Railway Bearing Puller / Installer



PR3100J
(Trolley Type)

- 100 ton Pushing Force Capacities
- Hydraulic Lift for Easy, Precise Positioning of Puller (Hand Pump or Electric Pump)
- Portable for Easy, Convenient Positioning & Storage
- Service a Full Line of Bearing with from Class B through GG.

HIGH PRESSURE HYDRAULIC TOOLS

HYDRAULIC PRESSES - Driven by Hand Pumps, Electric or Air / Hydraulic Pumps

(10, 25, 55, 100, 150 & 200 ton Capacities)

C-Frame Presses



SPM256C

- 25 ton Capacities
- Optional Pedestal Base

Economy H-Frame Presses



SPE256

- 25 ton Capacities

H-Frame Presses



SPE10013DS

- 55 to 200 ton Capacities

Roll-Bed H-Frame Presses



RB10013S

- 80 to 200 ton Capacities
- Fast & Easy Loading / Unloading of Heavy Workpieces
- Centering of Pressing Jobs

HYDRAULIC BOLTING TOOLS

Operating Pressure up to 10,000 psi (700 bar)

Torque Wrenches



TWLC Series

- 1,390 ft. lb (1,800 Nm) to 53,000 ft.lbs. (71,816 NM) Torque Range
- Super Compact & Light Weight
- Accurate Torque Output



TWHC Series

- Multi-axis, High Flow Swivel Manifold System
- Safety Pressure Release Mechanism
- Topside or Sub-sea Applications

Torque Wrench Pumps



Electric Powered

- High Performance Pump for Rapid Tool Advance
- External adjustable Pressure Regulator for Torque Setting
- Hand Remote Control with 6 meters Cord



Electric Powered Auto-Torque Pump

- Electric TW Pump with Oil Cooling Fan (Optional)
- Air TW Pump Safe to use in Hazardous Explosive Environments



Air Powered

Bolt Tensioners



SRT: Top Side Tensioner

Wind Tensioner



Subsea Stud Tensioner



- Max tool pressure 21,750 psi (1,500 bar)
- Bolt coverage 3/4" to 4" (20-115 mm) with just 8 tools
- Designed to fit BS1560/ANS.5/API flanges
- Fully enclosed load cell design eliminates entry of debris into piston retraction mechanism
- Twin hydraulic couplings for multiple tool connections

Bolt Tensioners Pumps

1,500 BAR (21,750 PSI)

High Performance Hydraulic Air Pumps



High Pressure Electric Pump



High Pressure Hand Pumps

PROFESSIONAL TOOLS

Hydraulic Flange Spreader


- 16.5 ton capacities
- Wedge-Driven
- Serrated Shoe
- Compact & Light Weight
- Suitable for Offshore Environment
- Optional Handle, Stepped Shoe & Stepped Block



FLS15



IJ Series Inflatable Air Jacks



- 1 to 75 ton Lifting Capacities
- Light weight
- Uninflated Jacks only 1" Thick
- Non-conducting Materials
- Non-skid Pattern Surface
- Single on Multiple Jacks Controller

Hydraulic Circuits



- Basic Single-acting System with a Hand Pump, Gauge, Hose and Single-acting Cylinder

MECHANICAL TOOLS, POWER TOOLS & STORAGES

Snap-on Incorporated is an American designer, manufacturer and marketer of high-end tools and equipment for professional use for various industrial sectors. Snap-on has 80,000+ SKUs in their product line and 3,300+ active and pending patents throughout the world.

TORQUE WRENCHES

1/4" to 1-1/2" and 12 Nm to 6000 Nm with +/- 2% accuracy, our torque and angle applicators provide the precision tolerances these materials demand.

- Digital Torque wrenches (Tech Angle)
- Handle Torque Wrenches
- Torque Testers & Callibrators
- Industrial Torque Wrenches
- Torque Screen Drivers
- Torque Control & Automation
- Adjustable click - Type Wrenches
- Torque Limiting Screw Drivers



ATECH1FS240



002R200



TEC175



CTECH Series



Control-Tech
Torque Controller



Torque Tester

ODRIVER3P

TORQUE MULTIPLIERS

- Manual Torque Multiplier
- Pneumatic Torque Multiplier
- Battery Operated Torque Multiplier



RATCHETS AND SOCKETS

Ratchets

Stop, Turn and Listen. A smoother, stronger ratchet. Try them to believe them. Dual 80[®] Technology Ratchets Feature:

- 1/4" to 2 1/2" drive
- 72-tooth gear
- Six teeth in contact with gear to provide strength and durability
- Up to 25% less ratcheting arc to engage the next gear tooth
- Sealed head keeps dirt and other contaminants out of the head mechanism



GT72



TF72



TX72



THLF72



THLLF72

MECHANICAL TOOLS, POWER TOOLS & STORAGE

Sockets



BLPHSSC30

- Low Profile Sockets
- Hex bit Sockets



206AFSA

- Deep Sockets
- Matrix Sockets



207RFLE

- Spline Sockets
- Special Application Sockets
- Combination Bit Socket Sets




207EFTXY

WRENCHES

Our wrenches perform better over the long haul than other wrenches because they're made better - with special alloy steel, precision forging and heat treatment for maximum strength and durability. Nickel-chrome finishing for corrosion protection and easy cleanup. Plus longer handles for more leverage and greater access.

- Flank Drive Ratcheting Combination
- Flank Drive Offset Box
- Tubular Wrenches



OXRM703

- Flank Drive Plus Combination
- Open End Wrenches
- T & L Snaped Wrenches



V0806B

- Spline Combination
- Heavy Duty Striking Wrenches
- Plier Wrenches Adjustable



SBXM605



BLPADJ404SG



DX158A



PWZ1



ANADJ8A

SCREW DRIVERS

There's nothing standard about the construction and performance of these standard tools. Every screwdriver we make provides the ultimate combination of comfort, power and versatility - no matter the length, thickness, tip style or handle size.

- Combination Screw Driver Set
- Long Handle Screen Driver



SGDX80BR

- Soft Handle Flat Tip Screw Driver
- Hex Tip Screw Driver



SD0D41

- Philips Screw Driver
- Reversible Type Screw Driver



SDM400A



5-POSITION

MECHANICAL TOOLS, POWER TOOLS & STORAGE

PLIERS

Snap-on Talon Grip™ helps make the job easier, with diamond serrated jaws for better grip and pulling power. Ramped tips and a longer contoured handle for greater accessibility. Plus rounded jaw edges to minimize nicks to wires.

- Pliers & Cutters Sets
- Needle Nose Pliers
- Diagonal Cutters
- Locking Pliers
- Wire Strippers
- Adjustment Joint Pliers
- P-Servers Precision Pliers
- Retaining Pliers



PL305ACF



312CF



AWP404



P88145



LP7SLIM

NON-SPARKING TOOLS

Snap-on offers a premium range of non-sparking (NS) tools engineered specifically for safety in potentially explosive, hazardous, or highly corrosive environments. These tools are designed to prevent ignition sources (sparks) that can occur when conventional steel tools are used.



Ring Type Slogging Wrench



Pipe Wrenches



Open End Slogging Wrench



Hammers



Pry Bars



Pliers & Cutters

INSULATED COMPOSITE TOOLS

- Screw Drivers
- Pliers
- Wrenches
- Sockets & Ratchets
- Tools Sets



VDE Screw Drivers



VDE Insulated Plier 2171V



Adjustable Wrench



Insulated T Handle



Insulated Tool Set 3045V-2

HAMMERS & PUNCHES

Whether you're looking for finesse or power - or both - our hammers, punches and chisels are made to deliver powerful blows without punishing your hands and arms.

- Soft Grip Punches & Chisels
- Auto Centering Punches
- Flat Chisels
- Steel Stamping Sets
- Dead Slow Hammer
- Soft Face Hammers
- Claw Hammers
- Heavy Duty Hammer
- Master Bit Sets



PPCSG710



GA237



HBPE32



HBFE32



HCL16



BH122D



BH232A

MECHANICAL TOOLS, POWER TOOLS & STORAGE

GENERAL HAND TOOLS

Being a better technician means being prepared to handle anything that comes your way. That's why we make such an extensive range of tools. More importantly, we make each one of them to last.

- Handsaw
- Cutting Knives
- Files
- Scrappers
- Thread Restoring Tools
- Taps & Dies



HSG325



PKNC300



SGFMA104



TD2425



RTD48



SEK76LMNG

POWER TOOLS

Whether they're powered by compressed air or lithium batteries, our power tools are engineered to get the job done.

CORDLESS TOOLS

- Cordless Impact Wrenches
- Cordless Drills
- Reciprocating Saw
- Cordless Grinders
- Cordless Flash Lights



CT88500



CTGR8850



CTRS6850



CTLED8850

AIR POWER TOOLS

- Air Impact Wrenches
- Air Drills
- Heavy Duty Air Hammer
- Air Grinders
- Air Sanders



MG1250



PS4612



PDR3001



PD3050BR



PT400



PT430

MECHANICAL TOOLS, POWER TOOLS & STORAGE

TESTING AND ELECTRONICS

Snap-on videoscopes, listening devices, multimeters, circuit testers and other specialty analyzers help you detect and diagnose everything from the slightest engine noises to the most complex electrical issues.

- Digital Multimeters
- Circuit Testers
- Leak Smoke Detectors
- Videoscapes
- Stethoscopes
- Infrared



EEDM596EK



EECT900



EELD500



BK5600DUAL85



YA6930



CTG761A

STORAGE AND SET BUILDING

- Roll Cabs
- Top Chests
- Drawer & Cabinets
- Lockers
- Mobile Roll Carts
- Mobile Tool Chests
- Box & Tote Trays
- Metric Sets
- US Sets
- Customizable Sets



KERN602C4PB0
60" EPIQ with POWERTOP



KRL7011APCM



UT22K



KECN682A0PC



KRDB269

TOOLS AT HEIGHT

Keep your people safe and assets secure with SNAP-ON industrial brands TOOLS AT HEIGHT

- Lanyards
- Coil Tethers
- Wrist Bands
- Holsters
- Holstery & Pouches
- Wrenches & Other Tools



Lanyard, Wrist Bands & Carabiners



Belt & Storage Pouches



Wide Range of Tools With Attachments

FLUID HANDLING & LUBRICATION

Groz Engineering Tools is a leading Indian manufacturer established in 1976 that designs and produces over 20,000 industrial tools, including grease handling, oil handling, fuel handling equipment, tools storage, hand tools and workshop equipment.

Their products are characterised by heavy-gauge steel construction, durable coating and ergonomic designs.

Premium quality meeting and exceeding global quality standards. It now supplies products for the automotive, mining, and agriculture sectors across over 85 countries.

GREASE HANDLING

The Groz range of Greasing Equipment is built to perform in demanding applications. User friendly, innovative designs and strong attention to quality provide maximum durability. Our exhaustive range of manual, pneumatic and battery-operated Grease Guns, Pumps, Grease Fittings and accessories find use in agriculture, construction, industrial maintenance, and repair applications.



Lever Grease Gun



Battery Grease Gun



Grease Pump Hand Operated



Grease Pump Air Operated



Digital Grease Meter



Hose Reel
Air / Water / Lubricants



Greasing Adaptor & Couplers



Lube Room Solutions

FLUID HANDLING & LUBRICATION

OIL HANDLING

Our high-performance oil handling equipment offers unmatched reliability and efficiency. With a comprehensive range of Pumps, Dispensing Nozzles, meters and accessories; we have the perfect solution for your needs. Be it automotive, construction, industrial applications or MRO, this range of equipment ensures safe oil handling.



Rotary Barrel Pump




Oil Pump Air Operated



Digital Oil Gun & Meter



Heavy Duty Electric Oil Pump



Oil Pump Kit



Stainless Steel Vertical Lift Pump



Antifreeze Barrel Pump Non-Drip



Air Operated Pump Aluminium Casing

FUEL HANDLING

Professional range of equipment for non-commercial transferring and dispensing of fuel. A comprehensive range of highest-quality Diesel, Gasoline and DEF Transfer Pumps, Meters, Nozzles and Filters.



Electric Fuel Pump



Diesel Meter Mechanical



Diesel Meter Digital



Electric Diesel Pump DC Powered



Diesel Refilling Systems



DEF Drum Electric Pump

LED WORK LIGHTS & TOOLS

LED WORKLIGHTS

High performance LED lights are built to withstand the toughest conditions on and off the job site. They provide multi-directional output in large spaces without compromising on mobility. Our LED lights are uniquely designed to increase productivity through best in class output, durability and are most suited to satisfy the daily demands of professional users



UV and Dual Charging Work Light



Portable LED Worklight with Stand



Two Head LED Tripod



DC Floodlight



Work Light with Hook



Slim Work Light 360 Degree



Swiveling LED Work Light Magnetic Base



LED Light Bar



Head Light with Sensor

TOOLS STORAGE AND ASSORTEMENTS

Groz offers a robust, heavy-duty range of tool storage and workstation attachments designed for professionals, mechanics, and industrial environments. Their products are characterized by heavy-gauge steel construction, durable powder-coated finishes and practical, ergonomic designs that emphasize efficiency, security, and portability.



Rolling Tool Cabinet



7 Drawer Trolley with Tools



84 Pcs Tool Kit

LED WORK LIGHTS & TOOLS

INDUSTRIAL HAMMERS

The Groz range of Indestructible Handle Hammers are engineered for maximum durability and safety, specifically designed to eliminate the common failure points of traditional hammers—broken handles and dislodged heads. Built for heavy-duty applications in construction, demolition, mining, and industrial sectors, these tools feature a specialized design that hold up under extreme conditions.



Brass Hammers



Sledge Hammers



Cross Pin Hammers



Copper Sledge Hammers




Interchangeable Mallets



Rubber Mallets

VICES AND CLAMPS

Groz manufactures an extensive range of precision-engineered vices and clamps, targeting professionals, craftsmen and hobbyists in metalworking and woodworking industries. Renowned for durability, Groz tools feature close-grained grey iron or SG iron castings, precision-machined bodies and hardened jaws for superior, long-lasting performance.



Self Centering
Machine Vice



Drill Press Vice



Heavy Duty Vice



Bench Vice Multi Purpose



G Clamps

HYDRAULIC ACCUMULATORS, OIL COOLERS & ACCESSORIES


HYDRAULIC ACCUMULATORS

Due to the compressibility of the gas, nitrogen, the accumulator enables to store and return liquid under pressure as and when required.

BLADDER ACCUMULATORS

Designation	EHV 0.2-350/90	EHV 0.5-350/90	EHV 1-350/90	EHV 1.6-350/90	EHV 2.5-350/90	EHV 4-350/90	EHV 5-350/90	EHV 6-350/90	EHV 10-350/90
Maximum pressure (in Bar)	350	350	350	350	350	350	350	350	350
Nominal gas volume (in litres)	0.17	0.6	1	1.6	2.4	3.7	5	6	10
Weight (in kg)	2.2	3	5	7.5	10	14	17	19	29
ø D max (in mm)	58	91	115	115	115	170	115	170	170
A max height (in mm)	266	258	328	396	548	433	897	559	824
Connection ø F	G 1/2" cyl.	G 3/4" cyl.	G 3/4" cyl.	G 3/4" cyl.	G 1" 1/4 cyl.	G 1" 1/4 cyl.	G 1" 1/4 cyl.	G 1" 1/4 cyl.	G 1" 1/4 cyl.
B (in mm)	38	54	54	54	66	65	66	65	65
C (in mm)	29	28	66	27	66	66	66	66	66
ø d (in mm)	16	16	22.5	16	22.5	22.5	22.5	22.5	22.5
ø E (in mm)	38	50	50	50	68	68	68	68	68

Designation	EHV 10-330/90	EHV 12-330/90	EHV 20-330/90	EHV 24.5-330/90	EHV 32-330/90	EHV 50-330/90
Maximum pressure (in Bar)	330	330	330	330	330	330
Nominal gas volume (in litres)	9.2	11	17.8	22.5	32	48.5
Weight (in kg)	37	44	58	67	92	124
ø D max (in mm)	226	226	226	226	226	226
A max height (in mm)	585	685	895	1030	1420	1943
Connection ø F	G 2" cyl.	G 2" cyl.	G 2" cyl.	G 2" cyl.	G 2" cyl.	G 2" cyl.
B (in mm)	103	103	103	103	103	103
C (in mm)	66	66	66	66	66	74
ø d (in mm)	22.5	22.5	22.5	22.5	22.5	51
ø E (in mm)	101	101	101	101	101	101



DIAPHRAGM ACCUMULATORS

Designation	Execution Form	Volume V0 (in litres)	Max pressure (in Bar)	Max precharge pressure (in Bar)	Compression ratio P max/PO	Weight in kg (in kg)	A (in mm)	B (in mm)	SW (in mm)	D (in mm)	G (in mm)	Oilport
												F
ELM 0.075-250/00/AF	AF	0,075	250	130	8	0,7	111	20	32	64	29	G 1/2
ELM 0.16-250/00/AF	AF	0,16	250	130	6	1	120	20	32	75	29	G 1/2
ELM 0.32-210/00/AF	AF	0,32	210	130	8	1,4	134	20	32	93	29	G 1/2
ELM 0.50-210/00/AF	AF	0,50	210	130	8	2	152	22	41	106	34	G 1/2
ELM 0.75-210/00/AF	AF	0,75	210	130	8	2,6	166	22	41	122	34	G 1/2
ELM 1-210/00/AF	AF	1	210	130	8	3,5	180	22	41	136	34	G 1/2
ELM 1.4-350/90/AF	AF	1,4	350	130	8	7,4	199	20	41	160	34	G 1/2
ELM 2-100/90/AF	AF	2	100	100	8	3,5	240	22	41	144	34	G 1/2
ELM 2-250/90/AF	AF	2	250	130	8	7,5	251	22	41	155	33	G 3/4
ELM 2.8-250/90/AF	AF	2,8	250	130	6	10	268	21	41	174	34	G 3/4
ELM 3.5-250/90/AF	AF	3,5	250	130	4	11	307	21	41	174	33	G 3/4
ELM 3.5-350/90/AF	AF	3,5	350	130	4	16	304	21	55	180	34	G 3/4



HYDRAULIC ACCUMULATORS, OIL COOLERS & ACCESSORIES

ACCUMULATOR ACCESSORIES

Safety Blocks: Carbon Steel & Stainless Steel



- Accident prevention authorities recommend the fitting of a pressure relief valve to gas loaded hydraulic accumulators.
- The Parker Olaer Hydraulic range of carbon steel safety blocks include features to make the installation, operation and maintenance of gas loaded hydraulic accumulators convenient and safe.

Accumulator Pre-charging Equipment



- For Safe-easy pre-charging of hydraulic accumulators, we offer a comprehensive range of equipment including Charging Sets, Nitrogen Boosters, Connectors & Adapters.
- Different models available for Diaphragm and Bladder Type Accumulators.
- Nitrogen Boosters available for high pressure charging upto 400 Bar.

Accumulator Clamps, Bracket & Mounts



- The accumulator mounting set consists of a back panel, a bracket with a rubber ring and one or two clamps with rubber inserts.
- Together with the accumulator they form a ready to use unit, which can be screwed or welded onto any type of structure.

Permanent Charging Set

The Permanent Charging set comprises of:



- Carbon Seal Body (available in stainless steel)
- Hose Connectors
- Pressure Gauge
Its maximum working pressure is 400 bar.

OIL COOLERS & HEAT EXCHANGER

Air Oil Cooler



- LAC: Air Oil Coolers with AC Motor
- LDC: Air Coolers with DC Motor
- LHC: Air Oil Cooler with Hydraulic Motor
- LOC: Offline Air Oil Coolers

PWO Water Oil Cooler



- Brazed Plate design.
- Water Oil Cooler with cooling capacity 1-480kW.
- Light and compact.
- Suitable for many applications.
- Ease of installation.
- Cost efficient and environment friendly.

SOME OF OUR ESTEEMED CUSTOMERS



NEOTECH EQUIPMENTS PVT. LTD.

MOVING AHEAD WITH NEW TECHNOLOGIES

SALE | SERVICE | CONSULTANCY

New Delhi Office
(Northern Region)

C-106, 2nd Floor, Phase-II, Maya Puri
Industrial Area, New Delhi - 110064
Tel: +91-9315655210, 011-41537923
Mob.: +91 9540062568
Email: mail@neotechworld.com

Vadodara Office
(Western Region)

Ananda 10, Ashray, Geri Road, Gotri,
Vadodara – 390021
Tel: +91-9227766425, 9925966422
Mob.: +91 9227766422
Email: info_brd@neotechworld.com

*All Names, Images and logos are copyright of their respective owners.

www.neotechworld.com